

E. Instructions for use

Product description and composition

HydroClean Advance Mini is a hydroactive wound dressing that contains, as a core component, a superabsorbent polyacrylate (SAP) embedded in cellulose fibers and activated (premoistened) with Ringer's solution. The wound pad is covered with a knitted fabric consisting of polypropylene.

Properties and mode of action

HydroClean Advance Mini delivers rapid absorption to the wound for up to three days. During this time, it remains effective and continues to absorb exudates from the wound. The SAP used in HydroClean Advance Mini inactivates metallic protéinases (MMP), which may impair wound healing.

Intended use

HydroClean Advance Mini is suitable for wet/damp treatment of wounds. The dressing should be used by healthcare professionals or laypersons trained by healthcare professionals.

Indications

HydroClean Advance Mini is indicated for the wet management of dry, light and moderately exuding wounds, in particular of secondarily impaired healing tendency. The product is especially suitable for the treatment of chronic and poorly healing wounds during the cleaning and granulation stage.

Mode of application and dressing change

The packaging and the dressing should be checked for damage. HydroClean Advance Mini should not be used if damage is detected. Before opening the product packaging, inspect it carefully for damage. If any damage is visible, do not use the product.

Storage

Do not store the product if there are visible signs of damage, such as cracks, pinholes, incomplete seals, torn or broken parts.

Use

Always open the product packaging before use.

Preparation

HydroClean Advance Mini should be placed onto the wound.

Application

HydroClean Advance Mini should be covered with a hydroClean Advance wound dressing pad.

Retention

The dressing should not be secured with sutures, staples or ties.

Granulation

If the dressing is not secured, it should be secured with sterile dressing retention material.

Wound care

If the dressing is secured, it should be secured with sterile gloves or instruments. The wound should not be pressed prior to its application.

Change

HydroClean Advance Mini should be removed from the wound.

Disposal

HydroClean Advance Mini should be disposed of as medical waste.

Storage

Do not store the product if there are visible signs of damage, such as cracks, pinholes, incomplete seals, torn or broken parts.

Use

Always open the product packaging before use.

Preparation

HydroClean Advance Mini should be placed onto the wound.

Application

HydroClean Advance Mini should be covered with a hydroClean Advance wound dressing pad.

Retention

The dressing should not be secured with sutures, staples or ties.

Granulation

If the dressing is not secured, it should be secured with sterile dressing retention material.

Wound care

If the dressing is secured, it should be secured with sterile gloves or instruments. The wound should not be pressed prior to its application.

Change

HydroClean Advance Mini should be removed from the wound.

Disposal

HydroClean Advance Mini should be disposed of as medical waste.

Storage

Do not store the product if there are visible signs of damage, such as cracks, pinholes, incomplete seals, torn or broken parts.

Use

Always open the product packaging before use.

Preparation

HydroClean Advance Mini should be placed onto the wound.

Application

HydroClean Advance Mini should be covered with a hydroClean Advance wound dressing pad.

Retention

The dressing should not be secured with sutures, staples or ties.

Granulation

If the dressing is not secured, it should be secured with sterile dressing retention material.

Wound care

If the dressing is secured, it should be secured with sterile gloves or instruments. The wound should not be pressed prior to its application.

Change

HydroClean Advance Mini should be removed from the wound.

Disposal

HydroClean Advance Mini should be disposed of as medical waste.

Storage

Do not store the product if there are visible signs of damage, such as cracks, pinholes, incomplete seals, torn or broken parts.

Use

Always open the product packaging before use.

Preparation

HydroClean Advance Mini should be placed onto the wound.

Application

HydroClean Advance Mini should be covered with a hydroClean Advance wound dressing pad.

Retention

The dressing should not be secured with sutures, staples or ties.

Granulation

If the dressing is not secured, it should be secured with sterile dressing retention material.

Wound care

If the dressing is secured, it should be secured with sterile gloves or instruments. The wound should not be pressed prior to its application.

Change

HydroClean Advance Mini should be removed from the wound.

Disposal

HydroClean Advance Mini should be disposed of as medical waste.

Storage

Do not store the product if there are visible signs of damage, such as cracks, pinholes, incomplete seals, torn or broken parts.

Use

Always open the product packaging before use.

Preparation

HydroClean Advance Mini should be placed onto the wound.

F. Utilisation préalable

Utilisation préalable

Le produit doit être utilisé par des professionnels de santé ou par des personnes formées par les professionnels de santé.

Indication

HydroClean Advance Mini convient pour le traitement des plaies en milieu humide. Le pansement doit être utilisé par des professionnels de santé ou par des personnes formées par les professionnels de santé pour la十大治疗 of chronic and poorly healing wounds during the cleaning and granulation stage.

Propriétés et mode d'action

HydroClean Advance Mini libère la solution de Ringer dans la plaque jusqu'à trois jours. Pendant ce temps, l'irrigation continue et la plante à la grenaie peut être utilisée au cours du pansement.

Précautions et recommandations

HydroClean Advance Mini est recommandé avec caution et avec une grande prudence.

Indication

HydroClean Advance Mini convient pour le traitement des plaies en milieu humide.

Propriétés et mode d'action

HydroClean Advance Mini libère la solution de Ringer dans la plaque jusqu'à trois jours.

